

Broadleaves

- Forest dynamics, biodiversity and management for multiple-use

Course literature - Spring 2022 - SLU Alnarp

Forest history, forest dynamics and biodiversity (Jörg Brunet)

Bakker et al. 2016. Combining paleo-data and modern exclosure experiments to assess the impact of megafauna extinctions on woody vegetation. PNAS 113: 847–855.

Bond 2005. Large parts of the world are brown or black: a different view on the ‘Green World’ hypothesis. Journal of Vegetation Science 16: 261–266.

Brunet et al. 2010. Biodiversity in European beech forests – a review with recommendations for sustainable forest management. Ecological Bulletins 53: 77-94.

Kirby and Watkins (Eds.). 2015. Europe’s changing woods and forests: from wildwood to managed landscapes. CAB International. 393 pp.

Chapter 3 The forest landscape before farming

Chapter 4 Evolution of modern landscapes

Larsen et al. 2005. Ecology of tree species and species selection. In: Naturnaer skovdrift (edited by Larsen, J.B.)

San-Miguel-Ayanz, J. et al. (editors). 2016. European Atlas of Forest Tree Species. European Commission. <https://forest.jrc.ec.europa.eu/en/european-atlas/>

Palm, J. et al. 2005. Hardwood – the facts. Wood Centre Nässjö.

Ungulate ecology (Annika Felton)

Bergqvist et al. 2018. Forage availability and moose winter browsing in forest landscapes. Forest Ecology and Management 419: 170-178.

Faison et al. 2016. Ungulate browsers promote herbaceous layer diversity in logged temperate forests. Ecology and Evolution 6: 4591-4602.

Kolstad et al. 2018. Pervasive moose browsing in boreal forests alters successional trajectories by severely suppressing keystone species. Ecosphere 9: e02458.

Felton et al. 2020. Varied diets, including broadleaved forage, are important for a large herbivore species inhabiting highly modified landscapes. Scientific Reports 10:1-13.

Forest health (Michelle Cleary)

Allen et al. 2010. A global overview of drought and heat-induced tree mortality reveals emerging climate change risks for forests. Forest Ecology and Management 259, 660-684.

Boyd et al. 2013. The consequence of tree pests and diseases for ecosystem services. *Science*. 342, 1235773

Prospero and Cleary. 2017. Effects of host variability on the spread of invasive forest diseases. *Forests*. 8, 80.

Roberts et al. 2020. The Effect of Forest Management Options on Forest Resilience to Pathogens. *Frontiers in forests and global change*. 3, 7.

Trumbore et al. 2015. Forest health and global change. *Science*. 349, 814-818.

Forest management and restoration (Magnus Löf)

Cernansky 2018. How to rebuild a forest. *Nature*. 560, 542-544.

Dey et al. 2008. Artificial regeneration of major oak (*Quercus*) species in the Eastern United States – a review of the literature. *Forest Science* 54, 77-106.

Gamfeldt 2013. Higher levels of multiple ecosystem services are found in forests with more tree species. *Nature Communications* 4, 1340.

Kelty 2006. The role of species mixtures in plantation forestry. *Forest Ecology and Management* 233, 195-204.

Kirby & Watkins (Eds.). 2015. Europe's changing woods and forests: from wildwood to managed landscapes. CAB International. 393 pp.

Chapter 5 Wood pastures in Europe

Chapter 6 Coppice silviculture: From the Mesolithic to the 21st century

Chapter 7 High forest management and the rise of the even-aged stands

Chapter 8 Close-to nature forestry

Löf et al. 2016. Management of oak forests: striking a balance between timber production, biodiversity and cultural services. *International Journal of Biodiversity Science, Ecosystem Services and Management* 12, 59-73.

Popkin G. 2021. Forest fight. *Science* 374, 1184-1189.

Saha et al. 2017. Lessons learned from oak cluster planting trials in central Europe. *Canadian Journal of Forest Research* 47, 139-148.

Stanturf et al. 2014. Contemporary forest restoration: a review emphasizing function. *Forest Ecology and Management* 331, 292-323.

Bialowieza forest (Mats Niklasson and Magnus Löf)

Churski et al. 2017. Brown world forests: increased ungulate browsing keeps temperate trees in recruitment bottlenecks in resource hotspots. *New Phytology* 214: 158-168.

Kuijper et al. 2013. Landscape of fear in Europe: wolves affect spatial patterns of ungulate browsing in Bialowieza Primeval Forest, Poland. *Ecography* 36: 1263-1275.

Nowacki GJ, Abrams MC. 2008. The Demise of Fire and “Mesophication” of Forests in the Eastern United States. *BioScience* 58, 123-138.

Mikusiński G. et al. 2018. Is the impact of loggings in the last primeval lowland forest in Europe underestimated? The conservation issues of Białowieża Forest." *Biological Conservation* 227: 266-274.

Spînu AP. et al. 2020. Mesophication in temperate Europe. A dendrochronological reconstruction of tree succession and fires in a mixed deciduous stand in Bialowieza forest. *Ecology and Evolution* 10, 1029-1041.

Fast-growing broadleaves (Henrik Böhlenius)

Böhlenius and Övergaard 2015. Growth response of hybrid poplars to different types and levels of vegetation control. *Scandinavian Journal of Forest Research* 30, 516-525.

Böhlenius and Övergaard 2015. Exploration of optimal agricultural practices and seedling types for establishing poplar plantations. *Forests* 6, 2785-2798.

Böhlenius and Övergaard 2016. Impact of seedling type on early growth of poplar plantations on forest and agricultural land. *Scandinavian Journal of Forest Research* 31, 733-741.

Böhlenius et al. 2016. Growth response of hybrid aspen (*populus × wettsteinii*) and *populus trichocarpa* to different pH levels and nutrient availabilities. *Canadian Journal of Forest Research* 46, 1367-1374.

Böhlenius et al. 2018. Differences in Al sensitivity affect establishment of *Populus* genotypes on acidic forest land. *PLOS ONE* 13, e0204461.

Jobling (Ed.) 1990. *Poplars for Wood Production and Amenity: The forest commition*, Forest Research station, Alice Holt Lodge, UK.

Stanturf et al. 2014. Chapter 5, p 200-257. In *Poplars and Willows, Trees for Society and the Environment*. Isebrands and Richardson (Eds.), CABI, Oxfordshire, UK.

Tullus et al. 2012. Short-rotation forestry with hybrid aspen (*Populus tremula* L.×*P. tremuloides* Michx.) in Northern Europe. *Scandinavian Journal of Forest Research* 27, 10-29.

McCarthy and Rytter 2015. Productivity and thinning effects in hybrid aspen root sucker stands. *Forest Ecology and Management* 354, 215-223.